

UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
3.2m

Platform Height
1.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	0
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	2
6	1.8m Trapdoor Platform	1
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	6
9	2.1m Diagonal Brace	2
10	S1 Stabiliser	0
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	1.2m
Maximum Working Height (wh):	3.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	88.3kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
3.7m

Platform Height
1.7m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	2
5	2m 8 Rung Frame	0
6	1.8m Trapdoor Platform	1
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	6
9	2.1m Diagonal Brace	3
10	S1 Stabiliser	0
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	1.7m
Maximum Working Height (wh):	3.7m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	96.5kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
4.2m

Platform Height
2.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	2
6	1.8m Trapdoor Platform	1
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	6
9	2.1m Diagonal Brace	3
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	2.2m
Maximum Working Height (wh):	4.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	117.7kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
4.7m

Platform Height
2.7m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	0
4	1.5m 6 Rung Frame	2
5	2m 8 Rung Frame	2
6	1.8m Trapdoor Platform	2
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	6
9	2.1m Diagonal Brace	4
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	2.7m
Maximum Working Height (wh):	4.7m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	125.1kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
5.2m

Platform Height
3.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	0
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	4
6	1.8m Trapdoor Platform	2
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	10
9	2.1m Diagonal Brace	5
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	3.2m
Maximum Working Height (wh):	5.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	153.2kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
5.7m

Platform Height
3.7m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	2
5	2m 8 Rung Frame	2
6	1.8m Trapdoor Platform	2
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	10
9	2.1m Diagonal Brace	6
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	3.7m
Maximum Working Height (wh):	5.7m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	161.4kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
6.2m

Platform Height
4.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	4
6	1.8m Trapdoor Platform	2
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	10
9	2.1m Diagonal Brace	7
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	4.2m
Maximum Working Height (wh):	6.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	168.4kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
6.7m

Platform Height
4.7m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	0
4	1.5m 6 Rung Frame	2
5	2m 8 Rung Frame	4
6	1.8m Trapdoor Platform	2
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	10
9	2.1m Diagonal Brace	8
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	4.7m
Maximum Working Height (wh):	6.7m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	175.8kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
7.2m

Platform Height
5.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	0
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	6
6	1.8m Trapdoor Platform	3
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	14
9	2.1m Diagonal Brace	9
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	5.2m
Maximum Working Height (wh):	7.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	203.9kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
7.7m

Platform Height
5.7m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	2
5	2m 8 Rung Frame	4
6	1.8m Trapdoor Platform	3
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	14
9	2.1m Diagonal Brace	10
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	5.7m
Maximum Working Height (wh):	7.7m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	212.1kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
8.2m

Platform Height
6.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	6
6	1.8m Trapdoor Platform	3
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	14
9	2.1m Diagonal Brace	11
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	6.2m
Maximum Working Height (wh):	8.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	219.1kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
8.7m

Platform Height
6.7m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	0
4	1.5m 6 Rung Frame	2
5	2m 8 Rung Frame	6
6	1.8m Trapdoor Platform	3
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	14
9	2.1m Diagonal Brace	12
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	6.7m
Maximum Working Height (wh):	8.7m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	226.5kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
9.2m

Platform Height
7.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	0
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	8
6	1.8m Trapdoor Platform	4
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	18
9	2.1m Diagonal Brace	13
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	7.2m
Maximum Working Height (wh):	9.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	254.6kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
9.7m

Platform Height
7.7m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	2
5	2m 8 Rung Frame	6
6	1.8m Trapdoor Platform	4
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	18
9	2.1m Diagonal Brace	14
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	7.7m
Maximum Working Height (wh):	9.7m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	262.8kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
10.2m

Platform Height
8.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	8
6	1.8m Trapdoor Platform	4
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	18
9	2.1m Diagonal Brace	15
10	S1 Stabiliser	4
11	S2 Stabiliser	0
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	8.2m
Maximum Working Height (wh):	10.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	269.8kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
10.7m

Platform Height
8.7m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	0
4	1.5m 6 Rung Frame	2
5	2m 8 Rung Frame	8
6	1.8m Trapdoor Platform	4
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	18
9	2.1m Diagonal Brace	16
10	S1 Stabiliser	0
11	S2 Stabiliser	4
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	8.7m
Maximum Working Height (wh):	10.7m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	284.4kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
11.2m

Platform Height
9.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	0
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	10
6	1.8m Trapdoor Platform	5
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	22
9	2.1m Diagonal Brace	17
10	S1 Stabiliser	0
11	S2 Stabiliser	4
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	9.2m
Maximum Working Height (wh):	11.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	312.5kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
11.7m

Platform Height
9.7m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	2
5	2m 8 Rung Frame	8
6	1.8m Trapdoor Platform	5
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	22
9	2.1m Diagonal Brace	18
10	S1 Stabiliser	0
11	S2 Stabiliser	4
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	9.7m
Maximum Working Height (wh):	11.7m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	320.7kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
12.2m

Platform Height
10.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	10
6	1.8m Trapdoor Platform	5
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	22
9	2.1m Diagonal Brace	19
10	S1 Stabiliser	0
11	S2 Stabiliser	4
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	10.2m
Maximum Working Height (wh):	12.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	327.7kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
12.7m

Platform Height
10.7m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	0
4	1.5m 6 Rung Frame	2
5	2m 8 Rung Frame	10
6	1.8m Trapdoor Platform	5
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	22
9	2.1m Diagonal Brace	20
10	S1 Stabiliser	0
11	S2 Stabiliser	4
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	10.7m
Maximum Working Height (wh):	12.7m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	335.1kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
13.2m

Platform Height
11.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	0
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	12
6	1.8m Trapdoor Platform	6
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	26
9	2.1m Diagonal Brace	21
10	S1 Stabiliser	0
11	S2 Stabiliser	4
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	11.2m
Maximum Working Height (wh):	13.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	363.2kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
13.7m

Platform Height
11.7m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	2
5	2m 8 Rung Frame	10
6	1.8m Trapdoor Platform	6
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	26
9	2.1m Diagonal Brace	22
10	S1 Stabiliser	0
11	S2 Stabiliser	4
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	11.7m
Maximum Working Height (wh):	13.7m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	371.4kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm



UTS SALES AND REPAIRS

A SAFER WAY TO REACH NEW HEIGHTS



Double Width Tower
1.8m Long x 1.45m Wide

Working Height
14.2m

Platform Height
12.2m

Tower Components

Item	Description	Quantity
1	150mm Locking Caster	4
2	Adjustable Leg 500mm	4
3	1m 4 Rung Frame	2
4	1.5m 6 Rung Frame	0
5	2m 8 Rung Frame	12
6	1.8m Trapdoor Platform	6
7	1.8m Fixed Platform	1
8	1.8m Horizontal Brace	26
9	2.1m Diagonal Brace	23
10	S1 Stabiliser	0
11	S2 Stabiliser	4
12	Toeboard Clips	4
13	Double End	2
14	1.8m Side	2



Technical information:

Base Dimensions:	(L)1.8m X (W)1.45m
Maximum Platform Height (ph):	12.2m
Maximum Working Height (wh):	14.2m
Maximum Working Load Per Platform:	275kg
Maximum Working Load Per Tower: (including tower weight)	950kg
Weight:	378.4kg

*Folding single piece Aluminum toeboard available as an upgrade

01227 860085
Mon-Fri, 8am until 5pm

For More Information:
info@towersandpodiums.co.uk
We reply within 1 hour
Mon-Fri, 8am until 5pm

